BURNS - For extensive burns call 9-911 immediately

- 1. Immediately immerse burned area in cold water for 15 minutes as long as there is no open skin and/or blisters.
- 2. For severe or deep burns with open skin and/or blisters, cover with sterile (if possible) gauze dressing. Do not open blisters.
- 3. Chemical burns: With gloves on or using paper towels, brush away powder. Do not rub skin.
- 4. Flush immediately with large quantities of water for 15-20 minutes longer if substance is alkaline.
- 5. Refer to Health Services X 4270 for evaluation, treatment and referral, as necessary.

CUTS

- 1. Do not come into contact with blood unless you are protected.
- 2. Clean superficial cuts with soap, and water and apply Band-Aid.
- 3. Deep cuts should be treated as follows:
 - Apply pressure over wound with clean cloth or sterile gauze until bleeding stops.
 At least 5-10 minutes.
 - Apply additional dressing and bandage snugly if bleeding through
 - Elevate injured area and do not remove dressing.
- 4. Refer to Health Center X4270 for assessment, additional treatment and medical referral if necessary.

NOSEBLEEDS

- 1. Do not come into contact with blood unless you are protected.
- 2. Keep person quiet and sitting upright with head bent slightly forward.
- 3. Assist person to pinch nostrils just below the bridge of the nose, maintain pressure until bleeding stops
- 4. Cold compresses may be applied to face, nose or neck.
- 5. Refer to Health Center if bleeding does not stop in 10 minutes, or is injury related.

PUNCTURE WOUNDS

- 1. Do not come into contact with blood unless you are protected
- 2. Allow wound to bleed freely.
- 3. Wash wound with soap and water.
- 4. Apply sterile gauze dressing.
- 5. If object is embedded, do not remove.
- 6. Animal bites are treated as puncture wounds but must be reported to animal control.
- 7. Attempt to identify location, owner, and vaccination status of the animal.
- 8. Refer to Health Center X 4270 for further evaluation, treatment and referral.

INSECT BITES

- 1. If bee sting, remove stinger, if possible, by flicking off with finger, or object like a credit card.
- 2. Apply cold compresses.
- 3. Observe person and accompany to Health Center for evaluation. X4270.
- 4. If hives, rapid swelling around eyes or mouth, or difficulty breathing occurs:
 - Administer medication for allergic reactions if prescribed for that individual.
 - Call 9-911. Follow directions for REPORTING OF EMERGENCIES.
 - Administer CPR if indicated.
 - Keep affected area below level of the heart.